


Stage Procedure

- SCORING:** Comstock, 14 rounds, 70 points
- TARGETS:** 6 IPSC Targets, 2 USPSA Mini-Poppers
- SCORED HITS:** Best 2 per IPSC Target, Steel 1 KD = 1A
- START-STOP:** Audible - Last Shot
- START POSITION:** The **Handgun Start Position** is standing completely outside of the shooting area with toes touching the start marks. Handgun is loaded and holstered with wrists below belt.
The **PCC Start Position** is standing completely outside of the shooting area with toes touching the start marks. Carbine is loaded with stock touching belt.
The **Make Ready** position is at the start position.
- PROCEDURE:** On the start signal, engage the targets from the shooting area.



Written Stage Briefing

CM 26-01 King Crab is a 14 round, 70 point Comstock Classifier course. There are 6 IPSC targets and 2 USPSA Mini-Poppers. The best 2 hits per target will score. Steel must fall to score. The start signal is audible.

The **Handgun Start Position** is standing completely outside of the shooting area with toes touching the start marks. Handgun is loaded and holstered with wrists below belt.

The **PCC Start Position** is standing completely outside of the shooting area with toes touching the start marks. Carbine is loaded with stock touching belt.

The **Make Ready** position is at the start position.

On the start signal, engage the targets from the shooting area.



Build Instructions

Prop Inventory

Paper

USPSA Targets	Half Size USPSA	IPSC	Half Size IPSC
		6	

Falling Steel

USPSA	USPSA Mini	IPSC	IPSC Mini	Colt
	2			

Environment Materials

8' Wall	4' Wall	Wall Stands	Barrels
4	1	8	

Target Stands	Target Sticks	Fault Lines	3' x 3' Boxes
6	12	64 ft	

Setup Notes:

All targets are 5 ft to the perforations at the top of the target.

Mini-poppers P1 & P2 are measured from the centerline to the center of the mini-popper.

Center-to-Center of the Start Marks is 18 inches. Start Marks are centered on the up-range fault line.

The **blue lines** in the **Build Diagram** indicate the direction to point the angled targets.

Stage Footprint:

- Width: 42 ft
- Depth: 44 ft
- Suggested Min Bay Size: 45 ft by 50 ft

