



## Written Stage Briefing

CM 26-04 Uprange? Seriously is a 12 round, 60 point Comstock Classifier course. There are 6 USPSA targets. The best 2 hits per target will score. The start signal is audible.

The **Handgun Start Position** is standing completely outside of the shooting area, facing downrange with heels touching the start marks. Handgun is loaded and holstered with wrists below belt.

The **PCC Start Position** is standing completely outside of the shooting area, facing downrange with heels touching the start marks. Carbine is loaded with stock touching belt.

The **Make Ready** position is at the start position.

On the start signal, engage the targets from the shooting area.





# Build Instructions

## Prop Inventory

### Paper

USPSA Targets	Half Size USPSA	IPSC	Half Size IPSC
6			

### Falling Steel

USPSA	USPSA Mini	IPSC	IPSC Mini	Colt

### Environment Materials

8' Wall	4' Wall	Wall Stands	Barrels
3	4	9	

Target Stands	Target Sticks	Fault Lines	3' x 3' Boxes
6	12		

### Setup Notes:

All targets are 5 ft to the perforations at the shoulders.


Center-to-Center of the Start Marks is 18 inches. Start Marks are centered on the down-range fault line.

The **blue line** in the **Build Diagram** indicate the direction to point the angled target.

### Stage Footprint:

- Width: 27 ft
- Depth: 50 ft
- Suggested Min Bay Size: 30 ft by 55 ft





(a) T1 is a hardcover partial aligned with the bottom of the lower A-zone.

(b) T4 is a classic Tuxedo with hardcover aligned with the A/C perforations.

T2 and T4 hard cover alignments.